

THE STATE OF NEVADA

PERMIT TO CHANGE THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Name of Permittee: TRUCKEE RIVER FLOOD MANAGEMENT AUTHORITY
Source: UNDERGROUND
Basin: TRUCKEE MEADOWS
Manner of Use: IRRIGATION
Period of Use: JANUARY 1ST THROUGH DECEMBER 31ST
Priority Date: 03/25/1948

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit, to change the manner of use of the waters of an underground source as heretofore granted under Permit 85717, is issued subject to the terms and conditions imposed in said Permit 85717 and with the understanding that no other rights on the source will be affected by the change proposed herein. This well shall be equipped with a two (2) inch opening for measuring depth to water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The well must be sealed from ground level to 100 feet in accordance with NAC 534.380.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This permit is issued for the irrigation of 1.25 acres within the proposed place of use.

The point of diversion and place of use are as described on the submitted application to support this permit.

(Continued on Page 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, not to exceed 0.038 cubic feet per second and 5 acre-feet annually, and is limited to 4.0 acre-feet per acre from all sources.

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:

January 15 2021

Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:

January 15 2023


Map in support of proof of beneficial use shall be filed on or before:

January 15 2023

IN TESTIMONY WHEREOF, I, TIM WILSON, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 15th day of January, 2020


State Engineer



Application No. **89019**

**APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER
OF USE AND PLACE OF USE OF THE PUBLIC WATERS
OF THE STATE OF NEVADA HERETOFORE APPROPRIATED**

THIS SPACE FOR OFFICE USE ONLY

JUN 28 2019

Date of filing in State Engineer's Office _____

Returned to applicant for correction _____

Corrected application filed _____ Map filed DEC 10 2015 under 85717

The applicant Truckee River Flood Management Authority

9635 Gateway Drive, Suite A

of Reno

Street Address or PO Box

City or Town

Nevada 89521

mwolz@washoecounty.us

State and ZIP Code

E-mail Address

hereby make(s) application for permission to change the

☐ Point of diversion

☐ Place of use

☒ Manner of use

☐ of a portion

of water heretofore appropriated under (Identify existing rights by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.)

Permit 85717 (Change of Permit 12370, Certificate 3775)

1. The source of water is underground source

Name of stream, lake, underground, spring or other sources.

2. The amount of water to be changed 0.038 cubic feet per second, 5 acre feet annually

Give diversion rate in cubic feet per second (CFS) AND duty in acre-feet annually (AFA).

3. The water to be used for Irrigation, domestic (as originally certificated)

Irrigation, power, mining, commercial, etc. If for stock, state number and kind of animals. Must limit to one major use

4. The water heretofore used for Changed to quasi-municipal and domestic by Permit 85717

If for stock, state number and kind of animals.

5. The water is to be diverted at the following point (Describe as being within a 40-acre subdivision of public survey and by course and distance to a found section corner. If on unsurveyed land, it should be stated.)

Lot VII, NW 1/4, Section 16, T.19 N., R.20 E., M.D.B.&M., or at a point from which the SE corner of Section 15, T.19 N., R.20 E., M.D.B.&M. bears 62 degrees 31' 41" degrees E. 8945.81 feet.

S

E

6. The existing point of diversion is located within (If point of diversion is not changed, do not answer.)

STATE ENGINEERS OFFICE
2019 JUN 28 PM 2:49
RECEIVED

6-87
WZ
7/3/2019

7. Proposed place of use (Describe by legal subdivisions. If for irrigation, state number of acres to be irrigated.)

N. 1/2 of Section 16, T.19 N., R.20 E., M.D.B.&M. (same as currently permitted). Approximately 1.25 acres will be irrigation.

8. Existing place of use (Describe by legal subdivisions. If changing place of use and/or manner of use of irrigation permit, describe acreage to be removed from irrigation.)

Same as Paragraph 7 above.

9. Proposed use will be from Jan. 1 to Dec. 31 of each year.
Month and Day Month and Day

10. Existing use permitted from Jan. 1 to Dec. 31 of each year.
Month and Day Month and Day

11. Description of proposed works. (Under the provision of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) (State manner in which water is to be diverted, i.e., diversion structure, ditch, pipes and flumes or drilled well, pump and motor, etc.)

In addition to the existing well, pump and meter, pipe will be laid to the exact acreage within the permitted place of use to be irrigated.

12. Estimated cost of works Less than \$2,000

13. Estimated time required to construct works Additional work will be completed by March 1, 2020

If well completed, describe well.

14. Estimated time required to complete the application of water to beneficial use by April 1, 2021

15. Provide a detailed description of the proposed project and its water usage (use attachments if necessary): (Failure to provide a detailed description may cause a delay in processing.)

Approximately 1.25 acres will be prepared and planted and will be irrigated using the existing well, pump and meter with pipe laid to the exact location within the currently permitted place of use. The manner of use for Permit 12370, Certificate 3775 was changed from irrigation/domestic use in conjunction with a change in point of diversion made to correct an error in the description of the point of diversion. Since development of the TRFMA Flood Protection Project has moved forward more slowly than planned the water will not be needed for quasi-municipal use in the foreseeable future. In the interim the water will again be used for irrigation/domestic use as originally permitted and certificated.

16. Miscellaneous remarks:

mwolz@washoecounty.us

E-mail Address

775-850-7475

Phone No.

Ext.

APPLICATION MUST BE SIGNED
BY THE APPLICANT OR AGENT

Michael Wolz

Type or print name clearly

Signature, applicant or agent

Truckee River Flood Management Authority

Company Name

9635 Gateway Drive, Suite A

Street Address or PO Box

Reno, Nevada 89521

City, State, ZIP Code

RECEIVED
2019 JUN 28 PM 2:49
STATE ENGINEERS OFFICE